



There were issues affecting this run of Lighthouse:

- **Clearing the origin data timed out. Try auditing this page again and file a bug if the issue persists.**
- **Clearing the browser cache timed out. Try auditing this page again and file a bug if the issue persists.**



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



0–49

50–89

90–100

Ved Tech Solutions



METRICS

[Expand view](#)

First Contentful Paint

1.6 s

Largest Contentful Paint

2.3 s

▲ Total Blocking Time 630 ms		Cumulative Layout Shift 0.009	
Speed Index 2.2 s			
		Ved Tech Solutions	Ved Tech Solutions
		Ved Tech Solutions	Ved Tech Solutions
		Ved Tech Solutions	Ved Tech Solutions
		Ved Tech Solutions	Ved Tech Solutions
		Ved Tech Solutions	Ved Tech Solutions
		Ved Tech Solutions	Ved Tech Solutions

Later this year, insights will replace performance audits. [Learn more and provide feedback here.](#)

Go back to audits

Show audits relevant to: All [FCP](#) [LCP](#) [TBT](#) [CLS](#)

INSIGHTS

▲ Forced reflow ^	
A forced reflow occurs when JavaScript queries geometric properties (such as <code>offsetWidth</code>) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about forced reflows and possible mitigations.	
Top function call	Total reflow time
react-dom_client.js?v=4578ffad:15	71 ms
Source	Total reflow time
installHook.js:1	71 ms

▲ Network dependency tree ^	
Avoid chaining critical requests by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP	
Maximum critical path latency: 829 ms	
Initial Navigation	
http://localhost:5173 - 76 ms, 0.12 KiB	
/css2?family=... (fonts.googleapis.com) - 610 ms, 0.00 KiB	
...v31/JTUSjlg1_....woff2 (fonts.gstatic.com) - 829 ms, 0.00 KiB	
/src/main.jsx?t=176... (localhost) - 98 ms, 0.17 KiB	
/src/App.jsx?t=176... (localhost) - 143 ms, 0.17 KiB	
...pages/Main.jsx?t=176... (localhost) - 169 ms, 0.17 KiB	

...pages/SignUp.jsx (localhost) - **260 ms**, 0.17 KiB

...deps/@mui_material.js?v=4578ffad (localhost) - **343 ms**, 0.00 KiB

...deps/react-hook-form.js?v=4578ffad (localhost) - **296 ms**, 0.00 KiB

...pages/Services.jsx?t=176... (localhost) - **212 ms**, 0.17 KiB

...deps/lucide-react.js?v=4578ffad (localhost) - **307 ms**, 0.00 KiB

/ServiceSection.png?import (localhost) - **276 ms**, 0.17 KiB

...pages/ContactPage.jsx?t=176... (localhost) - **197 ms**, 0.17 KiB

...deps/react-toastify.js?v=4578ffad (localhost) - **270 ms**, 0.00 KiB

...deps/chunk-VEB3A3D5.js?v=4578ffad (localhost) - **298 ms**, 0.00 KiB

...dist/ReactToastify.css (localhost) - **271 ms**, 0.17 KiB

...pages/Product.jsx (localhost) - **252 ms**, 0.17 KiB

/freepik__background__65233.png?import (localhost) - **295 ms**, 0.17 KiB

...pages/About.jsx?t=176... (localhost) - **200 ms**, 0.17 KiB

/analysis.jpg?import (localhost) - **275 ms**, 0.17 KiB

/handShake.jpg?import (localhost) - **274 ms**, 0.17 KiB

/idea.jpg?import (localhost) - **274 ms**, 0.17 KiB

/personSmile.jpg?import (localhost) - **273 ms**, 0.17 KiB

/meet.jpg?import (localhost) - **273 ms**, 0.17 KiB

/party.jpg?import (localhost) - **272 ms**, 0.17 KiB

/business-meeting-office.jpg?import (localhost) - **272 ms**, 0.17 KiB

/aboutPageimage.png?import (localhost) - **272 ms**, 0.17 KiB

...pages/TermsPage.tsx (localhost) - **269 ms**, 0.17 KiB

...pages/CookiePolicy.jsx (localhost) - **264 ms**, 0.17 KiB

...components/AnimatedBackground.jsx (localhost) - **239 ms**, 0.17 KiB

...pages/PrivacyPolicy.jsx (localhost) - **235 ms**, 0.17 KiB

...components/Footer.jsx (localhost) - **220 ms**, 0.17 KiB

...components/Navbar.jsx (localhost) - **164 ms**, 0.17 KiB

...deps/framer-motion.js?v=4578ffad (localhost) - **221 ms**, 0.00 KiB

...deps/chunk-JDXAG2GL.js?v=4578ffad (localhost) - **296 ms**, 0.00 KiB

...deps/chunk-SY7RNRUN.js?v=4578ffad (localhost) - **279 ms**, 0.00 KiB

...components/Floter.jsx (localhost) - **161 ms**, 0.17 KiB

...deps/react-icons_fa6.js?v=4578ffad (localhost) - **278 ms**, 0.00 KiB

...pages/Hero.jsx?t=176... (localhost) - **180 ms**, 0.17 KiB

...components/SEO.jsx (localhost) - **267 ms**, 0.17 KiB

...components/ButtonGroup.jsx (localhost) - **264 ms**, 0.17 KiB

/whyus.jpg?import (localhost) - **263 ms**, 0.17 KiB

/authentic-small-youthful-marketing-agency.jpg?import (localhost) - **261 ms**, 0.17 KiB

/herosectionimage.png?import (localhost) - **256 ms**, 0.17 KiB

...deps/react-router-dom.js?v=4578ffad (localhost) - **196 ms**, 0.00 KiB

...components/ScrollToTop.js (localhost) - **166 ms**, 0.17 KiB

/src/App.css (localhost) - **156 ms**, 0.17 KiB

...deps/react-dom_client.js?v=4578ffad (localhost) - **153 ms**, 0.00 KiB

...deps/react-head.js?v=4578ffad (localhost) - **124 ms**, 0.00 KiB

...deps/chunk-2ERLBQ4U.js?v=4578ffad (localhost) - **150 ms**, 0.00 KiB

...deps/chunk-LGTN4NXF.js?v=4578ffad (localhost) - **144 ms**, 0.00 KiB

...deps/react.js?v=4578ffad (localhost) - **117 ms**, 0.00 KiB

...deps/chunk-5MDD43XU.js?v=4578ffad (localhost) - **144 ms**, 0.00 KiB

/src/index.css?t=176... (localhost) - **139 ms**, 0.17 KiB

...deps/react_jsx-dev-runtime.js?v=4578ffad (localhost) - **118 ms**, 0.00 KiB

/@vite/client (localhost) - **99 ms**, 0.17 KiB

...client/env.mjs (localhost) - **124 ms**, 0.17 KiB

/@react-refresh (localhost) - **114 ms**, 0.17 KiB

Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected


Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. CLS

Element	Layout shift score
Total	0.009
	0.007
div.absolute.inset-0.rounded-full.border-2.border-purple-400.drop-shadow-lg	

Element	Layout shift score
span.text-red-600 0.003	
...v31/JTUSJlg1_....woff2 (fonts.gstatic.com)	Web font

Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size.](#)

Statistic	Element	Value
Total elements		339
Most children	div#root	8
DOM depth	path	13

LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP

Subpart	Duration
Time to first byte	10 ms
Element render delay	800 ms
p.text-base.mb-8.text-gray-700	

3rd parties

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content.

3rd party	Transfer size	Main thread time
fmkadmapgofadopljbjfkapdkoienihi	0 KiB	29 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	0 KiB	15 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backend_compact.js	0 KiB	5 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/backendManager.js	0 KiB	4 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/proxy.js	0 KiB	3 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/prepareInjection.js	0 KiB	1 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/hookSettingsInjector.js	0 KiB	1 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/fileFetcher.js	0 KiB	0 ms
Google Fonts Cdn	44 KiB	0 ms
...v31/JTUSjlg1_...woff2 (fonts.gstatic.com)	37 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	7 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

▲

Minimize main-thread work — 3.7 s

^

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT

Category	Time Spent
Other	2,057 ms
Script Evaluation	901 ms
Style & Layout	494 ms
Script Parsing & Compilation	109 ms
Rendering	71 ms

Category	Time Spent
Parse HTML & CSS	19 ms

▲ Page prevented back/forward cache restoration — 1 failure reason ^

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#)

Failure reason	Failure type
Pages with WebSocket cannot enter back/forward cache. http://localhost:5173	Pending browser support

Minify CSS — Est savings of 2 KiB ^

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) FCP LCP

URL	Transfer Size	Est Savings
@import url('https://fonts.googleapis.com/css2?family=Abril+Fatface&family=Merriweather:wght@700&fa...')	10.5 KiB	2.2 KiB

Minify JavaScript — Est savings of 2,228 KiB ^

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#) FCP LCP

URL	Transfer Size	Est Savings
localhost 1st Party	6,001.6 KiB	2,228.0 KiB
...deps/@mui_material.js?v=4578ffad (localhost)	1,852.9 KiB	649.0 KiB
...deps/react-dom_client.js?v=4578ffad (localhost)	872.3 KiB	263.4 KiB
...deps/lucide-react.js?v=4578ffad (localhost)	1,205.0 KiB	216.2 KiB
/@vite/client (localhost)	172.2 KiB	150.0 KiB
...pages/Hero.jsx?t=176... (localhost)	169.2 KiB	125.4 KiB

URL	Transfer Size	Est Savings
...deps/framer-motion.js?v=4578ffad (localhost)	355.9 KiB	103.3 KiB
...deps/react-router-dom.js?v=4578ffad (localhost)	365.8 KiB	99.3 KiB
...pages/Services.jsx?t=176... (localhost)	117.4 KiB	89.2 KiB
...pages/TermsPage.tsx (localhost)	89.0 KiB	61.7 KiB
/@react-refresh (localhost)	70.5 KiB	60.5 KiB
...pages/Product.jsx (localhost)	80.4 KiB	58.9 KiB
...pages/SignUp.jsx (localhost)	71.6 KiB	55.1 KiB
...pages/About.jsx?t=176... (localhost)	71.7 KiB	51.2 KiB
...pages/CookiePolicy.jsx (localhost)	66.8 KiB	46.9 KiB
...pages/ContactPage.jsx?t=176... (localhost)	49.4 KiB	36.5 KiB
...components/Footer.jsx (localhost)	46.9 KiB	33.3 KiB
...components/Navbar.jsx (localhost)	32.4 KiB	23.7 KiB
...deps/react-hook-form.js?v=4578ffad (localhost)	75.9 KiB	16.7 KiB
...pages/PrivacyPolicy.jsx (localhost)	25.2 KiB	16.0 KiB
...deps/chunk-5MDD43XU.js?v=4578ffad (localhost)	54.1 KiB	15.8 KiB
...pages/Main.jsx?t=176... (localhost)	14.0 KiB	8.0 KiB
...components/AnimatedBackground.jsx (localhost)	11.0 KiB	6.6 KiB
...deps/chunk-JDXAG2GL.js?v=4578ffad (localhost)	23.0 KiB	6.6 KiB
...deps/react_jsx-dev-runtime.js?v=4578ffad (localhost)	23.0 KiB	6.6 KiB
...components/SEO.jsx (localhost)	9.6 KiB	5.4 KiB
...deps/react-toastify.js?v=4578ffad (localhost)	35.8 KiB	4.2 KiB
/src/App.jsx?t=176... (localhost)	7.3 KiB	4.2 KiB

URL	Transfer Size	Est Savings
...deps/chunk-2ERLBQ4U.js?v=4578ffad (localhost)	16.1 KiB	3.5 KiB
...components/Floter.jsx (localhost)	6.5 KiB	3.4 KiB
...client/env.mjs (localhost)	3.8 KiB	3.3 KiB
...components/ScrollToTop.js (localhost)	2.4 KiB	2.1 KiB
...components/ButtonGroup.jsx (localhost)	4.6 KiB	2.0 KiB

Reduce unused JavaScript — Est savings of 4,105 KiB



Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity.
[Learn how to reduce unused JavaScript.](#) FCP LCP

URL	Transfer Size	Est Savings
localhost 1st Party	7,022.8 KiB	4,069.4 KiB
...deps/react-icons_fa6.js?v=4578ffad (localhost)	1,731.8 KiB	1,692.4 KiB
...fa6/index.mjs	1,695.0 KiB	1,692.0 KiB
...deps/@mui_material.js?v=4578ffad (localhost)	1,815.7 KiB	993.3 KiB
...@mui/material/esm/useAutocomplete/useAutocomplete.js	29.3 KiB	28.9 KiB
...@mui/material/esm/Tabs/Tabs.js	30.6 KiB	21.2 KiB
...@mui/material/esm/Slider/Slider.js	34.8 KiB	20.2 KiB
...@mui/material/esm/Slider/useSlider.js	19.4 KiB	19.1 KiB
...@mui/material/esm/Tooltip/Tooltip.js	27.8 KiB	18.9 KiB
...deps/react-dom_client.js?v=4578ffad (localhost)	872.3 KiB	373.7 KiB
...react-dom/cjs/react-dom-client.development.js	859.4 KiB	370.9 KiB
...scheduler/cjs/scheduler.development.js	11.4 KiB	2.8 KiB
...deps/react-router-dom.js?v=4578ffad (localhost)	365.8 KiB	318.0 KiB
...react-router/dist/development/chunk-XJI4KG32.mjs	324.6 KiB	283.6 KiB
...turbo-stream/dist/turbo-stream.mjs	19.8 KiB	19.2 KiB
...react-router/dist/development/dom-export.mjs	5.9 KiB	5.7 KiB
...set-cookie-parser/lib/set-cookie.js	5.5 KiB	5.1 KiB
...cookie/src/index.ts	4.7 KiB	4.1 KiB

URL	Transfer Size	Est Savings
...deps/framer-motion.js?v=4578ffad (localhost)	355.9 KiB	200.1 KiB
...framer-motion/dist/es/projection/node/create-projection-node.mjs	41.1 KiB	33.4 KiB
...framer-motion/dist/es/gestures/drag/VisualElementDragControls.mjs	13.4 KiB	12.8 KiB
...framer-motion/dist/es/animation/sequence/create.mjs	6.7 KiB	6.6 KiB
...framer-motion/dist/es/animation/generators/spring/index.mjs	4.5 KiB	4.4 KiB
...framer-motion/dist/es/gestures/pan/PanSession.mjs	4.3 KiB	4.2 KiB
...pages/Services.jsx?t=176... (localhost)	117.4 KiB	93.1 KiB
...	9.8 KiB	9.3 KiB
...deps/react-hook-form.js?v=4578ffad (localhost)	75.9 KiB	73.1 KiB
...logic/createFormControl.ts	29.4 KiB	29.3 KiB
...useFieldArray.ts	7.9 KiB	7.9 KiB
...logic/validateField.ts	5.9 KiB	5.9 KiB
...useController.ts	3.3 KiB	3.3 KiB
...useForm.ts	2.5 KiB	2.5 KiB
...pages/TermsPage.tsx (localhost)	89.0 KiB	59.9 KiB
...	13.4 KiB	13.0 KiB
...pages/Product.jsx (localhost)	80.4 KiB	48.8 KiB
...	11.7 KiB	11.0 KiB
...pages/About.jsx?t=176... (localhost)	71.7 KiB	47.2 KiB
...	9.7 KiB	8.9 KiB
...pages/CookiePolicy.jsx (localhost)	66.8 KiB	45.7 KiB
...	8.4 KiB	8.0 KiB
...pages/SignUp.jsx (localhost)	71.6 KiB	40.4 KiB
...	7.8 KiB	6.9 KiB
...pages/ContactPage.jsx?t=176... (localhost)	49.4 KiB	30.5 KiB
...	6.7 KiB	6.0 KiB
...deps/chunk-5MDD43XU.js?v=4578ffad (localhost)	54.1 KiB	28.9 KiB
...cjs/react.development.js	51.4 KiB	28.9 KiB
...deps/lucide-react.js?v=4578ffad (localhost)	1,205.0 KiB	24.3 KiB

URL	Transfer Size	Est Savings
...lucide-react/dist/esm/icons/index.js	48.6 KiB	24.3 KiB
Unattributable	57.6 KiB	35.9 KiB
chrome-extension://fmkadamgogofadopljbjfkapdkoienihi/build/installHook.js	57.6 KiB	35.9 KiB

○ Avoid long main-thread tasks — 8 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT

URL	Start Time	Duration
Unattributable		938 ms
Unattributable	904 ms	764 ms
Unattributable	603 ms	94 ms
Unattributable	2,390 ms	80 ms
localhost 1st Party		924 ms
...deps/react-dom_client.js?v=4578ffad (localhost)	1,961 ms	344 ms
...deps/react-dom_client.js?v=4578ffad (localhost)	1,668 ms	293 ms
http://localhost:5173	697 ms	121 ms
...deps/framer-motion.js?v=4578ffad (localhost)	2,305 ms	85 ms
http://localhost:5173	818 ms	81 ms

○ User Timing marks and measures — 1 user timing

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks](#).

Name	Type	Start Time	Duration
__v3	Mark	0.00 ms	

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (20)

Hide

Use efficient cache lifetimes



A long cache lifetime can speed up repeat visits to your page. [Learn more.](#) FCP LCP

Document request latency



Your first network request is the most important. Reduce its latency by avoiding redirects, ensuring a fast server response, and enabling text compression. FCP LCP

Avoids redirects

Server responds quickly (observed 7 ms)

Applies text compression

Duplicated JavaScript



Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. FCP LCP

Font display



Consider setting [font-display](#) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](#).

Improve image delivery



Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) FCP LCP

☐ INP breakdown

Start investigating with the longest subpart. [Delays can be minimized](#). To reduce processing duration, [optimize the main-thread costs](#), often JS.

☐ LCP request discovery

Optimize LCP by making the LCP image [discoverable](#) from the HTML immediately, and [avoiding lazy-loading](#)

Legacy JavaScript



Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must

support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) FCP LCP

Modern HTTP

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](#). FCP LCP

Render blocking requests

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. FCP LCP

Optimize viewport for mobile

Tap interactions may be [delayed by up to 300 ms](#) if the viewport is not optimized for mobile.

meta

Defer offscreen images

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images](#). FCP LCP

Reduce unused CSS

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](#). FCP LCP

Use HTTP/2

HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. [Learn more about HTTP/2](#). FCP LCP

Avoid serving legacy JavaScript to modern browsers

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support legacy browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) FCP LCP

Avoids enormous network payloads — Total size was 7 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes](#).

URL	Transfer Size
localhost 1st Party	1.7 KiB
/@react-refresh (localhost)	0.2 KiB
/@vite/client (localhost)	0.2 KiB
/aboutPageimage.png?import (localhost)	0.2 KiB
/analysis.jpg?import (localhost)	0.2 KiB
/authentic-small-youthful-marketing-agency.jpg?import (localhost)	0.2 KiB
/business-meeting-office.jpg?import (localhost)	0.2 KiB
/freepik__background__65233.png?import (localhost)	0.2 KiB
/handShake.jpg?import (localhost)	0.2 KiB
/herosectionimage.png?import (localhost)	0.2 KiB
/idea.jpg?import (localhost)	0.2 KiB

JavaScript execution time — 0.9 s



Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT

URL	Total CPU Time	Script Evaluation	Script Parse
localhost 1st Party	1,736 ms	820 ms	56 ms
...deps/react-dom_client.js?v=4578ffad (localhost)	1,000 ms	673 ms	5 ms
http://localhost:5173	491 ms	45 ms	50 ms
...deps/framer-motion.js?v=4578ffad (localhost)	245 ms	102 ms	2 ms
Unattributable	1,665 ms	30 ms	0 ms
Unattributable	1,665 ms	30 ms	0 ms

○ Lazy load third-party resources with facades



Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade.](#) TBT

Uses passive listeners to improve scrolling performance



Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners.](#)

Avoids `document.write()`



For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid document.write\(\)](#).

■ Captured at Nov 10, 2025,
11:10 AM GMT+5:30

■ Initial page load

■ Emulated Moto G Power with
Lighthouse 12.8.2

■ Slow 4G throttling

■ Single page session

■ Using Chromium 142.0.0.0 with
devtools

Generated by **Lighthouse** 12.8.2 | [File an issue](#)